PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶:
A23L 3/36, 3/37, A23G 9/02
A1
(11) International Publication Number: WO 96/39878
(43) International Publication Date: 19 December 1996 (19.12.96)

(21) International Application Number:

PCT/US96/06519

(22) International Filing Date:

20 May 1996 (20.05.96)

(81) Designated States: AU, BR, CA, CN, IP, MX, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).

(30) Priority Data:

08/472,500

7 June 1995 (07.06.95)

US

Published

With international search report.

(71) Applicant: THE PILLSBURY COMPANY [US/US]; 200 South Second Street, Minneapolis, MN 55402-1464 (US).

(72) Inventors: CLEMMINGS, John, F.; 30 Winding Way, Parsippany, NJ 07054 (US). ZOERB, Hans, F.; 1072 River Drive, River Falls, WI 54022 (US). ROSENWALD, Diane, R.; 5620 Dunlap Avenue N., Shoreview, MN 55126 (US). HUANG, Victor, T.; 7309 Parkview Drive, Moundsview, MN 55112 (US).

(74) Agents: KALIS, Janal, M. et al.; Oppenheimer Wolff & Donnelly, 3400 Plaza VII, 45 South Seventh Street, Minneapolis, MN 55402 (US).

(54) Title: METHOD OF MAKING FROZEN COMPOSITIONS

(57) Abstract

The present invention includes a method for making a frozen composition for storage. The method does not require a hardening step prior to storage. The method includes preparing a mixture of ingredients that include water and adding an anti-freeze protein to the mixture of ingredients.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
ΑT	Austria	GE	Georgia	MX	Mexico
ΑU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgystan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic	SD	Sudan
CF	Central African Republic		of Korea	SE	
CG	Congo	KR	Republic of Korea	SG	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Singapore
CI	Côte d'Ivoire	ū	Liechtenstein	SK	Slovenia
CM	Cameroon	LK	Sri Lanka		Slovakia
CN	China	LR	Liberia	SN	Senegal
CS	Czechoslovakia	LT	Lithuania	SZ	Swaziland
CZ	Czech Republic	LU	Luxembourg	TD	Chad
DE	Germany	LV	Latvia	TG	Togo
DK	Denmark	MC		TJ	Tajikistan
EE	Estonia	MD	Monaco	TT	Trinidad and Tobago
ES	Spain		Republic of Moldova	UA	Ukraine
FI	Finland	MG	Madagascar	, UG	Uganda
FR	France	ML	Mali	US	United States of America
GA	Gabon	MN	Mongolia	UZ	Uzbekistan
UA	Gabon	MR	Mauritania	VN	Viet Nam

5

10

15

30

1,

METHOD OF MAKING FROZEN COMPOSITIONS BACKGROUND OF THE INVENTION

The present invention relates to a method of making a frozen composition utilizing an anti-freeze protein.

Frozen compositions such as ice cream, frozen yogurt, mellorine, sherbets, water ices, milk shakes, sorbets or coated novelty bars and the like, are challenging and energy intensive products to make on an industrial scale. These types of dairy desserts may range in fat content from about 0.01 to 20.0 percent by weight.

Frozen composition manufacturing includes ingredients such as condensed skim milk, cream, sweeteners such as corn sugar, cane sugar, corn syrups and water which are blended together in a vessel and are pasteurized, homogenized and cooled to a temperature of 32° to 42°F. The mix is then stored under agitation at 32° to 40°F.

Liquid flavoring may be added to the pasteurized frozen composition mixture. Particulates such as fruits and nuts may be added during freezing by a device such as a fruit feeder. Once flavored, the mixture is frozen and extruded under air pressure in a scrape-surface heat exchanger for air incorporation and is packaged at about 18 to 25°F.

After being packaged and, in some cases wrapped, the frozen composition is hardened in a hardening tunnel, hardening box, or hardening freezer or in a contact plate freezer at a temperature of -30°F to -60°F. The hardening process has conventionally been used to freeze remaining unfrozen water in the frozen composition after it has been aerated, agitated and partially frozen.

The hardening step involves quickly freezing the composition to obtain a desired frozen composition mouthfeel. Mouthfeel is affected by the size of ice

25

crystals within the frozen composition. Larger ice crystals impart a grainy mouthfeel. Consequently, rapid freezing results in smaller ice crystals and smoother frozen composition mouthfeel. Without the hardening step, liquid water in frozen composition compositions freezes at much slower rates and forms large ice crystals which impart unacceptably grainy mouthfeel to the frozen composition.

During frozen storage, ice crystal size increases 10 over time as disproportionation occurs and smaller crystals melt and recrystallize onto larger ice crystals in a dynamic process resulting in pronounced iciness, giving the product an undesirable characteristic. Controlling the ice crystal size, whether 15 formulation, processing, distribution temperature control, or product age management is an objective of all frozen composition manufacturers in order to ensure a high quality finished product.

The Huang et al. reference U.S. No. 5,175,013,

that issued December 29, 1992, describes a frozen composition that includes an ingredient relating to a reduction in ice crystal formation. The ingredient is a high molecular weight starch hydrolysate.

The DuRoss patent U.S. No. 5,324,751 which issued June 28, 1994, describes microcrystals of sorbitol and mannitol. The sorbitol microcrystals serve as cryoprotectants.

The Warren et al. patent U.S. No. 5,118,792, which issued June 2, 1992, describes polypeptides that have anti-freeze properties.

DESCRIPTION OF DRAWINGS

Figure 1 shows the ice crystal size distribution in an frozen composition without anti-freeze protein, slowly frozen at 10°F for 16 hours, then stored at -20°F.

3

Figure 2 shows a micrograph of ice crystals in the frozen composition without anti-freeze protein, slowly frozen at 10°F for 16 hours, then stored at -20°F.

Figure 3 shows the ice crystal size distribution in an frozen composition with 10 ppm anti-freeze protein, slowly frozen at 10°F for 16 hours, then stored at -20°F.

Figure 4 shows a micrograph of ice crystals in an frozen composition with 10 ppm anti-freeze protein, slowly frozen at 10°F for 16 hours, then stored at -20°F.

Figure 5 shows the ice crystal size distribution in a frozen yogurt without anti-freeze protein that has been hardened at -40°F and stressed at 20°F for 4 days.

Figure 6 shows a micrograph of ice crystals in a frozen yogurt without anti-freeze protein that has been hardened at -40°F and stressed at 20°F for 4 days.

Figure 7 shows the ice crystal size distribution in a frozen yogurt with 10 ppm anti-freeze protein that has been slowly frozen at 10°F for 16 hours, stored at -20°F, then stressed at 20°F for 4 days.

Figure 8 shows a micrograph of ice crystals in a frozen yogurt with 10 ppm anti-freeze protein that has been slowly frozen at 10°F for 16 hours, stored at -20°F, then stressed at 20°F for 4 days.

SUMMARY OF THE INVENTION

The present invention includes a method for minimizing ice crystal size in a frozen composition that has not been subjected to a hardening step. The method includes combining dessert ingredients that include water to make a mix. An anti-freeze protein is added to the mix. The mix is then pasteurized, homogenized, and frozen at a temperature that is greater than -20°F.

5

10

20

25

5

10

15

20

25

30

35

4

DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS

A method for making a frozen composition of the present invention includes a step whereby anti-freeze protein is added to a mixture of ingredients used to make the frozen composition after which the composition is frozen, without the need for a hardening step prior to storage. Thus, the method of the present invention eliminates a hardening step performed by blast or plate freezing the dessert. The present invention also includes a frozen composition with a water concentration in a range of about 40% to 90% by weight and with an anti-freeze protein in a concentration ranging from about 1 ppm to 100 ppm, preferably less than about 50ppm, more preferably less than about 20ppm.

By "cold hardening" or simply "hardening," it is meant that the product is rapidly frozen at a temperature as low as -30 to -60 degrees Fahrenheit. With anti-freeze protein addition, it is not necessary to cold-harden a frozen composition, such as frozen composition, once the dessert has been extruded and packaged. The frozen compositions may slowly harden at temperatures such as 0 to -20 degrees Fahrenheit without being icy. It has been found that ice crystals form in about the same weight percent as are formed in frozen compositions made without the anti-freeze proteins.

Suitable anti-freeze proteins may be derived from blood and muscle tissue of antarctic fish, arctic fish, worms, and insects. Synthetic anti-freeze proteins may be synthesized by genes that are cloned from the aforementioned and inserted into other more ubiquitous types of organisms such as *Escherichia coli* or *Saccharomyces* species. These organisms are then used to produce the anti-freeze proteins on a commercial scale.

Suitable proteins for use in the method of the present invention include anti-freeze glycoproteins (AFGPs) and anti-freeze peptides(AFPs). The primary structure of AFGPs is a repeating (Ala-Ala-Thr) sequence

5

with galactosyl-N-acetylgalactosamine attached to the threonine residue and with the alanine residues located at the C-terminal end. AFGPs have been labeled with numbers ranging from I to VIII, according to relative electrophoretic migration in gels. AFGPs with numbers ranging from I to V have molecular weights in the 10-30 kDa range and have similar anti-freeze activities. AFGPs labeled with numbers VI to VIII have molecular weights in the 2.6-5 kDa range, and have proline in different positions following a threonine unit.

The AFPs are similar to AFGPs in that alanine is the predominant amino acid residue and the molecules exhibit an amphiphilic character. The remaining residues determine the type and molecular structure.

Type I AFPs have α -helical structure whereas Type II and III are comprised of β -sheets or no defined secondary structure. Preferably, a Type I AFP with 55 amino acid residues is employed. The other types of anti-freeze protein are also believed to be effective.

10

- 20 the method of the present invention. conventional ingredients are provided to make the frozen composition. For instance, in the case of frozen composition, condensed skim milk, cream, corn sugar, cane sugar, corn syrups, gums, emulsifiers, and water 25 are provided in conventional concentrations. ingredients are blended, pasteurized, and homogenized in a conventional manner known to those skilled in the art. Once pasteurized and homogenized, the mix may be aged at 32° to 40°F.
- In one preferred embodiment, the anti-freeze protein is added after pasteurization of the ingredients. The anti-freeze protein may also be added to the mixture before pasteurization.

It is believed that certain characteristics of the frozen composition formula affect the anti-freeze protein. Particularly, it is believed that the pH of the composition may affect the anti-freeze protein

10

15

20

25

30

activity. Preferably, the pH is such that it does not adversely affect protein activity such as by secondary or tertiary conformational changes or by charge repulsion. It is believed that pH should be greater than about 3 to optimize efficacy of anti-freeze proteins.

Once the frozen composition or other dessert comprising anti-freeze protein is aged, and flavors and solid material such as fruits and nuts are added, the frozen composition may be frozen and packaged at about 18 to 25°F and stored at a temperature of about -10° to -20°F. With the anti-freeze protein, it is not necessary to harden the frozen composition at a temperature of about -30° to -60°F. Ice cream or other frozen products may be stored at a temperature as high as about 10°F, bypassing the cold hardening process, when these products contain the anti-freeze protein.

In one preferred embodiment a concentration of anti-freeze protein of about 10 ppm, parts per million, is added to a frozen composition mixture such as frozen composition. However, concentrations as low as about 1-5 parts per million are effective in eliminating the need for a hardening step.

Frozen compositions, such as frozen composition, containing anti-freeze protein, but manufactured without the cold hardening step, have ice crystals of a size comparable to ice crystals in similar product without anti-freeze protein, but manufactured with a hardening step. Specific examples of frozen compositions made with and without the anti-freeze protein are presented herein. The examples are presented to describe particular product features and not to limit the process or product of the present invention

Example 1

In one embodiment, an ice cream with 17 percent by weight fat is made from the following ingredients:

	<u>Ingredient</u>	Weight %
	Condensed skim milk	24
	Cream, 40% fat	43
	Egg yolk, with sugar	5
5	Sucrose	13
	Water	14
	Vanilla ,	1

Ice cream from these ingredients was manufactured by conventional means, but excluding the hardening step, and stored at about 10°F. After 16 hours at 10°F, the average ice crystal size was about 54 microns (Figures 1 and 2). Methods for ice crystal size determination are described in Example 3.

15 Ice cream from the same mix processed and stored under identical conditions but with anti-freeze protein added to reach a concentration of about 10ppm had a mean ice crystal size of about 34 microns (Figures 3 and 4). This ice crystal size is typical of ice crystals found in conventional frozen compositions manufactured with a hardening process and stored at about -20°F.

Example 2

In another embodiment, frozen yogurt was made from the following ingredients:

25	Ingredient	Weight %
	Condensed skim milk Ultrafiltered skim milk,	12.00
	22.3% total solids	33.00
	Cream, 40% by wt.	7.00
30	Egg yolk, with sugar	4.00
	Sucrose	13.00
	26 DE corn syrup	11.00
	Water	7.00
	Vanilla	1.00
35	Yogurt, 20% total solids	12.00

Yogurt made with the ingredients described above was manufactured conventionally, including hardening by blast freezing, but then stressed for 4 days at 20°F prior to analysis. Ice crystals reached a mean size of about 89 microns (Figures 5 and 6).

20

25

30

35

8

Ice crystals in yogurt made from the same batch but with anti-freeze protein added to reach a concentration of 10ppm without hardening averaged 27 microns in size when stored under stress conditions identical to the yogurt without AFGP (Figures 7 and 8). The smaller ice crystals in the anti-freeze protein treated yogurt resulted in a smoother texture and mouthfeel than that in the yogurt without AFP.

Example 3

Ice crystal analysis was performed by a test method designed to measure ice crystals less than 100 microns. Equipment required to perform the test included a Zeiss microscope, manufactured by Carl Zeiss, Inc., of Thornwood, New York, equipped with a temperature controlled cold stage, manufactured by Mettler Instrument Corp. of Hightstown, New Jersey. A thermoelectric stage is preferred.

Frozen composition samples were equilibrated to - 20 Centigrade. Colder samples are undesirable because they can fracture. Slides, coverslips, mineral oil and utensils are also equilibrated to -20 Centigrade.

Frozen composition samples were collected from frozen pints of dessert. Samples were removed from the center of the container 1 inch below the dessert surface.

In a freezer chamber at -20C, a small amount of the sample was placed on the cold microscope slide with a cold spatula. A drop of mineral oil was placed over the sample and a coverslip was placed over the mineral oil. The dessert sample was dispersed into the oil by applying pressure on the coverslip with a cold pencil eraser.

The microscope and stage were cooled with liquid nitrogen. The apparatus was enclosed in a plastic bag to prevent moisture from freezing on the lenses of the microscope or the sample slide. The magnification was determined as follows:

9

	Magnification	10x
	Objective	16x
•	Camera Eyepiece	0.8x
	Camera Factor Theoretical	128x
	Actual	130 7x

5

10

25

Once the stage was equilibrated to -20 Centigrade, the slide was quickly transferred from the freezer to the microscope stage. The sample was examined for a field showing a representative distribution of ice crystals. Areas where ice crystals were evenly dispersed and separated were easier to analyze by image analysis or digitizing. Samples and analyses were run in duplicate.

Distributions for equivalent circular diameter were determined by image analysis of the photographs. An automated program was used to detect and measure each ice crystal in the field. The image analysis field was slightly smaller than the photograph. Overlapping ice crystals could not be measured by this method. The image analyzer measured the outside edge of contrasting rings which define the ice crystals. Quality control checks included a magnification check, calibration check, accuracy check and a precision check.

Although the present invention has been described with reference to preferred embodiment, workers skilled in the art will recognize that changes may be made in form and detail without departing from the spirit of the invention.

CLAIMS


What is claimed is:

- 1 1. A method for minimizing ice crystal size in a
- 2 frozen composition without subjecting the dessert to a
- 3 temperature lower than -20 degrees Fahrenheit prior to
- 4 storage at a temperature greater than -20 degrees
- 5 Fahrenheit, the method comprising:
- 6 preparing a mixture of ingredients that include
- 7 water; and
- adding an anti-freeze protein to the mixture of
- 9 ingredients.
- 1 2. The method of claim 1 and further including adding
- 2 the anti-freeze protein in a concentration of not more
- 3 than about twenty parts per million.
- 1 3. The method of claim 1 and further including
- 2 pasteurizing the blend prior to addition of the anti-
- 3 freeze protein.
- 1 4. The method of claim 1 and further including
- 2 pasteurizing the blend after addition of the anti-freeze
- 3 protein.
- 1 5. The method of claim 1 wherein the frozen
- 2 composition is frozen composition.
- 1 6. The method of claim 1 wherein the frozen
- 2 composition is frozen yogurt.
- 1 7. A frozen composition product comprising an anti-
- 2 freeze protein.
- 1 8. The frozen composition product of claim 7 wherein
- 2 the anti-freeze protein is present in a concentration of
- 3 not more than about 100 parts per million.


11


1 9. A product produced by the method of claim 1.












BEST AVAILABLE COPY



Int Nonal Application No PCT/US 96/06519

A 67 46			
IPC 6	SIFICATION OF SUBJECT MATTER A23L3/36 A23L3/37 A23G9/	702	
ı	to International Patent Classification (IPC) or to both national cl	assification and IPC	
	S SEARCHED		
IPC 6	documentation searched (classification system followed by classifi A23G A23L	·	
Documenta	ation searched other than minimum documentation to the extent th	at such documents are included in the fields	searched
Electronic	data base consulted during the international search (name of data	base and, where practical, search terms used	
	MENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the	e relevant passages	Relevant to claim No.
Υ	US,A,5 118 792 (G. J. WARREN ET June 1992 cited in the application see claims	AL.) 2	1
Y	US,A,5 358 931 (B. RUBINSKY ET A October 1994 see column 1, line 44-54 see column 4, line 19-23 see column 5, line 11-18 see column 12, line 65 - column 8; claims		1
A	US,A,5 082 682 (B. R. PETERSON) 1992 see column 1, line 6 - column 2, see column 5, line 35 - column 8 see column 10, line 18-32	line 60	1
X Furth	er documents are listed in the continuation of box C.	X Patent family members are listed	in annex.
Special cate	gories of cited documents:	بکار	
'A' documer consider	nt defining the general state of the art which is not red to be of particular relevance	"T" later document published after the into or priority date and not in conflict wi cited to understand the principle or the invention	th the application but
mink or		"X" document of particular relevance; the cannot be considered novel or cannot	
citation	nt which may throw doubts on priority claim(s) or sited to establish the publication date of another or other special reason (as specified)	involve an inventive step when the do 'Y' document of particular relevance; the cannot be considered to involve an in	cument is taken alone claimed invention
P' documen	t published prior to the international filing date but	document is combined with one or money, such combination being obvious in the art.	ore other such docu- us to a person skilled
	n the priority date claimed ctual completion of the international search	'&' document member of the same patent Date of mailing of the international sea	
	August 1996	2 9. 08. 96	
Name and ma	uiling address of the ISA European Patent Office, P.B. 5818 Patentiaan 2	Authorized officer	
	NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Guyon, R	

Form PCT/ISA/210 (second sheet) (July 1992)

٠ 2

Int 'onal Application No
PCT/US 96/06519

C.(Continu	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	PCT/US 96/06519	
Category *		Relevant to claim No.	
A	US,A,4 985 270 (N. SINGER ET AL.) 15 January 1991	1	
	see column 6, line 35 - column 7, line 2; claims; examples		
A	PATENT ABSTRACTS OF JAPAN vol. 94, no. 0012, 11 June 1993 & JP,A,06 345664 (TAKAKO TOMITA), 20 December 1994, see abstract	1	
A	WO,A,91 10361 (B. RUBINSKY ET AL.) 25 July 1991	1-5,9	
	see page 6, line 34 - page 9, line 31; claims 1,14	·	
A	WO,A,92 12722 (B. RUBINSKY ET AL.) 6 August 1992 see the whole document	1-5,9	
	••••		
	•		
	•		
	•		
	·		
	·	·	
		·	
	·		

2

Information on patent family members

Int 'onal Application No PCT/US 96/06519

	FC1/03 30/00319			
Patent document cited in search report	Publication date	Patent fami member(s)	ly	Publication date
US-A-5118792	02-06-92	CA-A- 2 EP-A- 0 JP-T- 4	648028 814390 056434 472662 505329 013571	14-04-94 29-11-90 11-11-90 04-03-92 17-09-92 15-11-90
US-A-5358931	25-10-94	AU-B- 7 EP-A- 0 JP-B- 8 JP-T- 5 WO-A- 9	659795 335491 511317 009521 503706 110361 212722	01-06-95 05-08-91 04-11-92 31-01-96 17-06-93 25-07-91 06-08-92
US-A-5082682	21-01-92	US-A- 5	215776	01-06-93
US-A-4985270	15-01-91	AT-T- AU-B- AU-B- CA-A- CZ-A- DE-D- DE-T- EP-A- JP-T- NO-B- PT-B- SK-A-	855156 124604 615052 340789 329722 807904 854123 348503 502254 175702 89154 790488	08-08-89 15-07-95 19-09-91 19-07-89 24-05-94 19-01-94 10-08-95 16-11-95 03-01-90 26-07-90 15-08-94 29-12-95 06-03-96 29-06-89
WO-A-9110361	25-07-91	AU-B- 73 EP-A- 05 JP-B- 86 JP-T- 55 US-A- 53	559795 335491 511317 509521 503706 358931 212722	01-06-95 05-08-91 04-11-92 31-01-96 17-06-93 25-10-94 06-08-92

Information on patent family members

Int onal Application No PCT/US 96/06519

Patent document cited in search report	Publication date	Patent family member(s)		Publication date
WO-A-9212722	06-08-92	AU-B- AU-B- EP-A- JP-B- JP-T- US-A- WO-A-	659795 7335491 0511317 8009521 5503706 5358931 9110361	01-06-95 05-08-91 04-11-92 31-01-96 17-06-93 25-10-94 25-07-91

Form PCT/ISA/210 (patent family annex) (July 1992)